Dane aktualne na dzień: 04-11-2026 17:12

Link do produktu: https://www.nobshop.pl/aparatura-rc-radiomaster-pocket-elrs-p-4118.html



Aparatura RC Radiomaster Pocket ELRS

Cena brutto	**339,99 zł**
Cena netto	**276,41 zł**
Dostępność	**Dostępny**
Czas wysyłki	**1 - 3 dni**
Producent	**Radiomaster**

Opis produktu

Aparatura RC Radiomaster Pocket ELRS

Uwaga! Aparatura sprzedawana jest bez akumulatorów, do jej uruchomienia potrzebne są **dwa ogniwa 18650** które można kupić tu:

18650 EVE 3500mAh

Smycz pasująca do tego radia (pozostałe, jak te od Radiomastera, NewBeeDrone czy Emaxa mają za duże zapięcie):

Smycz Team Black Sheep



Features:

- Available in ExpressLRS and MPM CC2500 versions
- Preinstalled with EdgeTX firmware
- 18650 Batteries, all the power you need for hours of fun (Batteries not included)
- Portable and lightweight design with removable stick ends and foldable antenna
- Features hall effect gimbals as standard for smooth cantering & precise response
- Built-in LED lights help visualize your switch inputs
- Backlit LCD Screen offering a perfect balance of size and functionality
- Trim buttons for easy channel trimming
- External Module Bay compatible with RadioMaster Nano-size modules and TBS Nano Crossfire/Nano Tracer
- 2 Stylish Colors of Charcoal & Transparent version and optional case colors in Blue, Pink, Green, and Orange to suit your style

Specifications:

- Item: Pocket Radio
- Physical dimensions: 156.6*65.1*125.3mm (Folded size) /156.6*73.1*154.8mm (Unfold size
- Weight: 288 grams
- Operating frequency: 2.400GHz-2.480GHz
- Internal RF Options: CC2500 multi-protocol / ELRS 2.4GHz
- Supported protocols: Module dependent
- RF power: CC2500:100mW Max (20dBm) / ELRS FCC: 250mW Max (24dBm) / ELRS EU-LBT: 100mW Max (20dBm)
- Operational voltage: 6.6-8.4v DC
- Control distance: > 2km @ 20dBm
- Operating system: EdgeTX
- Control channels: Maximum 16 (Receiver dependent)
- Display: 128*64 Monochrome LCD
- Battery: 2pcs 18650 batteries (Not included)
- Charging: Built in USB-C QC3 Charging
- Upgradable Firmware: Via USB or the included SD card
- Gimbal: Hall-effect
- Module bay: Nano size (Compatible with RadioMaster Nano-size modules, TBS Nano Crossfire / Nano Tracer)


Available with ExpressLRS and CC2500 Version

- CC2500 (standard) Version supports all CC2500 protocols
- ELRS (standard) is pre-installed with ExpressLRS ISM FW (Max power is hardware dependent)


About LBT version


- CC2500 LBT Version (Europe) is limited to LBT compliant protocols FrSKY X/X2 LBT & HoTT LBT
- ELRS LBT (Europe) Version is pre-installed with ExpressLRS CE EU domain LBT FW (Limited to 100mw power output)







CONVENIENT TO CARRY EVERYWHERE
REMOVABLE
SITCK ENDS
FOLDABLE
ANTENNA



HALL GIMBAL
Smooth centering & precise response



TRIM BUTTONS
For easy channel trimminc


POWER UP YOUR ADVENTURES WITH
18650 BATTERIES
Hours of fun and enough power for external modules
*Battery not included

Dimensions


73.1mm
154.8mm
156.6mm
125.3mm
65.1mm


Antenna
DSC Trainer Port
SB-Position
SA-Self locking switch
USB Port
SC-Position
SD-Self locking switch
LCD Screen
Left Gimbal
Right Gimbal
Lanyard Loop
Power Button
SYS Button
RTN Button
PAGE> Button
PAGE< Button
TELE Button
Trim Switchs
MDL Button
Menu Wheel
Speaker
3.5mm Headphone Jack
TYPE-C Charge Port
SD Card Slot
RADIOMASTER
POCKET





1 × POCKET Radio



1 × Velvet Storage Bag



1 × Screen Protector



4 × Low Tension Springs



1 × USB-C Cable



1 × Sticker



1 × Manual

Produkt posiada dodatkowe opcje:

Kolor: Dymiony , Przezroczysty