

Link do produktu: <https://www.nobshop.pl/dron-iflight-nazgul5-v2-led-dji-fpv-hd-vista-polar-nazgul-5-6s-p-3167.html>



Dron iFlight Nazgul5 V2 LED DJI FPV HD Vista Polar Nazgul 5 6S

Cena brutto	1 799,99 zł
Cena netto	1 463,41 zł
Dostępność	Aktualnie niedostępny
Czas wysyłki	1 - 3 dni
Kod producenta	F011011
Producent	iFlight

Opis produktu

Nazgul5 HD is a 5" size BNF (Bind-and-Fly) quadcopter with Caddx Vista Digital HD System on it. We stuck the lighter Caddx Vista on one of our new updated XL5 V5 FPV frames. Pre-tuned and setup, everything you need is just bind-and-fly! Loads of power and smooth flights guaranteed using our popular XING 2207 with LED light motors with long-lasting NSK bearings. Got a hard hit and snapped an arm? Don't worry, get some spares with your order and easy-swap out in field. Wanna strap your GoPro on that beast as well? Checkout our collection of high quality TPU prints for your cam!

HIGHLIGHTS:

- 5mm arm design for more durability
- Easy-Swap arms
- LED illuminated Logo
- XING 2207 motors with LED light
- 5" version also fits 5.1" style propellers
- Popular True-X configuration
- TPU crash-guards
- Fits both 30.5x and 20x stacks

XL5 V5 frame specs:

- [SucceX-E F7 45A flight stack](#)
- [XING 2207 FPV Motor with LED light \(6S 1800kv / 4S 2450kv\)](#)
- Wheelbase: 240mm*240mm
- Body size: 170*170mm
- Propeller size: 5 inch /5.1 inch
- FC pattern: 30.5*30.5/20*20 mm

-
- FPV cam spacing: 19mm
 - Weight: 408.5g (without battery)

Nazgul5 HD Quad BNF Included Components and Parts

- Prebuilt and tested Quadcopter
- 1x XL5 V5 Frame
- 1x Caddx Polar Vista Digital HD System Kit
- 1x LHCP RP-SMA 5.8g antenna
- 2sets x Nazgul 5 inch 3-blades (Set of 4 - Color may vary)
- 1x 20*200mm Microfiber PU Leather Battery Strap (Color May Vary)
- 1x 20*250mm Microfiber PU Leather Battery Strap (Color May Vary)

FC // SucceX-E F7 Flight controller

- MCU: STM32F722 216MHz
- Gyro: MPU6000
- Baro: NO
- OSD: IFLIGHT OSD [AT7456E]
- BEC: 5V 2.5A
- BlackBox: 16MB
- Currentscale: 100[WithiFlightESC]
- Uart: 4*UART(UART1[UART2[UART4[UART5)
- UART1 for VTX HD[for 4-6S Vista[for 4S DJI Air Unit[/AnalogTelemetry
- UART2 for Receiver
- UART4 for Free
- UART5 for ESC Telemetry
- 4xDshot/PWM outputs
- Smartaudio & IRC Tramp VTX protocol supported
- WS2812 led Strip: Yes
- Bepper: Yes
- Firmware: IFLIGHT_SUCCEX_E_F7
- Outer Size: 36*36mm / 30.5*30.5/φ4 mounting
- Weight: 6.9g
- Mounting hole: 30.5*30.5mm[φ4mm

- Size: 36*36mm

ESC // SucceX-E 45A 2-6S BLHeli_S 4-in-1 ESC

- Dimension: 36*43mm
- Mounting Holes: 30.5*30.5mm/Φ3mm
- Weight: 15g (without wire)
- Supports 2-6S Lipo input
- EFM8BB21 MCU, 24Mhz Runs BLHeli_S 16.X Firmware
- Current sensor: YES
- BEC: NO
- Constant: 45A / Burst: 50A
- Supports: DShot150/300/600/MultiShot/OneShot etc.

- Target: G-H-30 BLS 16.7

* kamera gopro nie wchodzi w skład zestawu

Produkt posiada dodatkowe opcje:

Kolor filamentu: Green , Yellow