

Dane aktualne na dzień: 29-05-2026 23:48

Link do produktu: <https://www.nobshop.pl/kontroler-lotu-aio-hglrc-12a-elrs-vtx-p-4461.html>



Kontroler lotu AIO HGLRC 12A ELRS VTX

Cena brutto	395,00 zł
Cena netto	321,14 zł
Dostępność	Dostępny
Czas wysyłki	1 - 3 dni
Kod producenta	C.DZ.01.00037
Producent	HGLRC

Opis produktu

Kontroler lotu AIO HGLRC 12A ELRS VTX



HGLRC SPECTER F411 12A AIO
Whispered Inaudible Flight Control

— HGLRC SPECTER F411 12A AIO —

This is an HGLRC SPECTER F411 12A 2-40500mAh waterproof brushless flight controller that integrates a built-in 2.4GHz receiver, 2.4GHz receiver, the latest 40500mAh motor controller with motor speed, torque, 200Hz response rate of self-brake and throttle.

It features an onboard 2.4GHz receiver, 2.4GHz receiver, and other digital receiver. The integrated 40500mAh receiver also allows the pilot to adjust the throttle for the motor speed and torque.


The board has a 2.4GHz receiver (2.4GHz) and a 2.4GHz antenna, which can be used to receive the motor speed and torque. The 2.4GHz receiver has a clear antenna of high gain, high sensitivity, and low latency, and a built-in 2.4GHz receiver.

The AIO flight controller can receive up to 2.4GHz, and it is also compatible with 2.4GHz receiver and 2.4GHz receiver on the market. You can download the firmware.




Adapted to Draknightr frame

Compatible with 2.4GHz receiver and 2.4GHz receiver of whoop and other frames on the market



— Wiring diagram —



— Specification —

- Model: HGLRC SPECTER F411 12A AIO
- MCU: STM32F405
- Motor: 40500mAh
- Receiver: 2.4GHz
- Antenna: 2.4GHz
- Power: 40500mAh
- Weight: 12g
- Dimensions: 25mm x 25mm x 12mm
- Operating Temperature: -20°C to 60°C
- Storage Temperature: -30°C to 70°C
- Humidity: 10% to 90%
- Shock: 10g
- Vibration: 10g
- EMC: CE, FCC, RoHS
- CE: CE
- FCC: FCC
- RoHS: RoHS

— Product List —



