

Link do produktu: <https://www.nobshop.pl/kontroler-lotu-aio-hglrc-specter-15a-stm32f411-mpu6000-2-4s-p-4460.html>



Kontroler lotu AIO HGLRC SPECTER 15A STM32F411 MPU6000 2-4S

Cena brutto	399,00 zł
Cena netto	324,39 zł
Dostępność	Dostępny
Czas wysyłki	1 - 3 dni
Kod producenta	C.DZ.01.00033
Producent	HGLRC

Opis produktu

Kontroler lotu AIO HGLRC SPECTER 15A STM32F411 MPU6000 2-4S

Specyfikacja:

MCU: STM32F411,
MPU: MPU6000,
BEC: 5V 2A,
Blackbox: 8MB,
OSD: obsługuje,
LED: obsługuje,
Buzzer: obsługuje,
UARTy: 3,
Wbudowany odbiornik: ExpressLRS 2.4GHz (UART R1),
Prąd ciągły: 15A,
Prąd chwilowy: 18A (do 10s),
Protokół ESC: D-Shot300, D-Shot600, Oneshot, Multishot,
Betaflight firmware: ZEUSF4EVO,
ESC firmware: Q-H-50 (Bluejay),
Napięcie zasilania: 2-4S, 7.4-14.8V (LiPo),
Wymiary: 42.5x42.5mm,
Otwory montażowe: 25.5x25.5mm.M2,
Waga: 6.9g

SPECTER 15A AIO
The new upgrade

The new upgrade
Extended UARTS port
Supports input voltage up to 2-4s

The flight control uses **F411** main control
with **MPU6000** gyroscope
Make flight control feel smoother

Flight control reserved direct
plug motor base
Reserve extra large motor pads
Optional use

Built-in independent serial
port **ELRS** receiver
Can reduce installation space and is very
suitable for Tanyahoop/hoodpick frame


Flash **Bluejay** firmware by default
Improving flight efficiency
is the best choice for FPV Drone








— Wiring diagram —



— Specification —



— Product List —



Zawartość:

1x SPECTER 15A AIO
1x kondensator 35V 220UF,
1x przewód zasilający XT30U-M + 18AWG 70mm,
1x przewód kamery MX1.25-3P 30AWG 75mm,
4x wibroizolator M2*6.6,
1x antena 2.4GHz HGLRC