Dane aktualne na dzień: 18-11-2026 20:27

Link do produktu: https://www.nobshop.pl/lutownica-hglrc-rc1-p-4099.html



Lutownica HGLRC RC1

Cena brutto	**180,00 zł**
Cena netto	**146,34 zł**
Dostępność	**Aktualnie niedostępny**
Czas wysyłki	**1 - 3 dni**
Kod producenta	**C.PJ.06.00060**
Producent	**HGLRC**


Opis produktu

Lutownica HGLRC RC1

Features:

- the max temperature is 500°C/842°F.
-Working power supply: support PD3.0,QC2.0, DC12V-25V, 3S-6S battery.
-0.91-inch OLED display, the brightness display can be adjusted.
-Built-in buzzer reminder, automatically heats up when powered on, and can be turned on and off as you choice.
-Intelligent temperature control algorithm, supports temperature compensation and temperature self-calibration.
-The shell is made of translucent high temperature resistant and fireproof PC environmental protection material
-Sensitivity can be set to reject interference from environmental factors.
-Support °C/°F switching, left and right hand screen flip.
-Low voltage protection, high temperature and high voltage alarm, safe and reliable.
-Support Chinese and English display switching, firmware upgrade.
-C210 Tip,Suitable for precision maintenance.
-Compact and very portable, suitable for use in multiple venues.
Size specification: 118mm * 13.5mm, 146mm with mounted soldering tip
Weight: 23.6g


HGLRC
HGLRC RC1 Soldering Iron
Intelligent temperature
300°C
RC1
HGLRC RC1


Intelligent Temperature Control Algorithm
Heat up rapidly
Instant tin melting, greatly improving work efficiency
Operating temperature
The adjustable temperature range is 50°C-500°C


Part structure
GND
B key
OLED display
Soldering iron tip
RC1
300°C
A key
Type-C interface
Max 25 V