

Dane aktualne na dzień: 07-07-2026 02:35

Link do produktu: <https://www.nobshop.pl/rama-fpv-hglrc-rekon-5-long-range-p-4735.html>

HGLRC Rekon5 LR frame
Compatible with DJI O3 Air Unit



Rama FPV HGLRC Rekon 5 Long Range

Cena brutto	199,00 zł
Cena netto	161,79 zł
Dostępność	Aktualnie niedostępny
Czas wysyłki	1 - 3 dni
Producent	HGLRC

Opis produktu

Rama FPV HGLRC Rekon 5 Long Range



Compatible with DJI 03 Air Unit
Rekon5 LR




Easy to carry
GOPRO action camera



Rekon5 LR Frame
Installation diagram



Rekon5 LR Frame
Accessories diagram



NO.1 After installing the bottom plate and the middle plate, fix the arm with the chain plate screw



NO.2 M2*20mm aluminum column fixed camera seat



NO.3 O3 Air Unit seat/Vista Compatible



NO.4 M2*5mm screws to fix the top plate/bottom aluminum column



NO.5 M2*5mm screw to fix the buzzer seat



Summary:

Rekon 5 is based on the original Dave_C FPV mini Longrange design, this 5-inch is a mini Longrange concept frame, suitable for carrying more loads. This 5-inch is a mini Longrange Concept frame, which is suitable for carrying more loads. Like its smaller 4-inch drone, this 5-inch drone can achieve a flight time of about 25 minutes. At the same time, compared with the 7-inch usually used for long-distance flight, it is very quiet, efficient and relatively low cost. Compared with the 4-inch drone, the main advantage of the 5-inch drone is that it can carry full GOPRO and 18650 lithium battery without affecting the flight performance and noise level. In addition, the cruising speed is increased, and the ability to do Freestyle is significantly improved. The drone can also be used with a wide range of batteries: 4S 850-1800mAh, 6S 550-1300mAh, if you need a longer flight time, you can use a 18650 3000mah battery.

Frame design:

The Rekon 5 features an innovative frame design featuring one-piece front and rear arms locked by 7050 chainring screw. The screws are used to create a strong and rigid part in the center part of the frame, which locks the arms and decouples the force from the rest of the frame. This enables the use of very light M2 screws and thin carbon plates in the rest of the frame, reducing overall weight for max efficiency, and most importantly the chainring screws can take more torque and are not as often used by M2 or M3 screws. Occurs easily cracked or peeled off. The design of the front TPU camera seat and the Naked gopro bracket has also received a lot of attention. Since the arms are extended backwards and the drone head is partially exposed, the dead cat frame is prone to collisions at the nose of the drone, but the Rekon 5 It will be flexible to fly.

Features:

- Using 10mm 7050 chainring screw structure light frame, can be used for 20x20 Stack -Integrated GoPro installation in front of TPU camera mount
- Foldable 90-degree TBS T-shaped antenna, Solve the death U-turn problem
- Optional arm protection bar for improved vibration and enhanced crash performance
- Optimize the fixing method of the drone arm and add two M2 screws to ensure that the drone arm is fixed more firmly
- A print of the 3D Print GPS M80
- Separate Find drone Buzzer printing

Specification

Product name: Rekon
Model: Rekon5 LR Frame Kit
Material: 3K carbon fiber
Type: 5 inch Frame
Wheelbase: 222mm
Size: 222*182mm
Top plate: 1.5mm
Bottom plate: 1.5mm
Middle plate: 1.5mm
Front/rear integrated arm: 4mm
Bumper: 3mm
Upper and lower plate spacing: 20mm
Flight control mounting hole: 20x20mm
Support camera: 20*20mm*19*19mm
Motor mounting hole: 12*12mm
Weight: 81.1g