

Link do produktu: <https://www.nobshop.pl/rama-speedybee-bee35-35-cala-cinewhoop-p-4361.html>



Rama SpeedyBee Bee35 3.5 cala Cinewhoop

Cena brutto	235,00 zł
Cena netto	191,06 zł
Dostępność	Dostępny
Czas wysyłki	1 - 3 dni
Producent	SpeedyBee

Opis produktu

Rama SpeedyBee Bee35 3.5 cala cinewhoop

Specyfikacja:

Rozstaw silników: 153mm,
Grubość górnej płyty: 3.5mm,
Grubość dolnej płyty: 2mm,
Rozmiar kamery: do 20mm,
Wysokość między górną i dolną płytą: 24mm,
Rozstaw otworów montażowych elektroniki: 20*20/25.5*25.5/30.5*30.5mm,
Rozstaw otworów montażowych nadajnika wideo: 20*20/25.5*25.5mm,
Rozmiar śmigieł: 90mm,
Otwory montażowe silników: 12*12mm,
Waga: ok. 138g.
Rekomendowane silniki: 1806/2004/2006,
Rekomendowane KV: 4S/2500-3500KV, 6S/1800-2300KV,
Rekomendowane akumulatory: 900-1500mAh 4S/6S.

Rama w wersji Pro zawiera aluminiową dolną płytę stanowiącą radiator odprowadzający temperaturę z nadajnika wideo.



INTRODUCTION TO DESIGN HIGHLIGHTS

Introducing the new design highlights of the DJI Mavic 3 Pro, featuring a new aluminum front plate, 100% efficient heat dissipation, 10 minutes of flight time, custom-made aluminum grade aircraft components, and more.

DESIGN HIGHLIGHTS

100% efficient heat dissipation

The Mavic 3 Pro features a new aluminum front plate that provides 100% efficient heat dissipation, ensuring optimal performance in high-temperature environments.

10 minutes

The Mavic 3 Pro offers a flight time of 10 minutes, providing a longer range and more time in the air.

4 minutes

The Mavic 3 Pro offers a flight time of 4 minutes, providing a longer range and more time in the air.

Custom-made aluminum grade aircraft components

The Mavic 3 Pro features custom-made aluminum grade aircraft components, ensuring a lightweight and durable design.

INFOV13°

The Mavic 3 Pro features a 13-degree field of view, providing a wider range of vision and more detailed imagery.

Two battery installation methods

The Mavic 3 Pro offers two battery installation methods, providing flexibility and ease of use.

Rigid durable injection-molded shell

The Mavic 3 Pro features a rigid durable injection-molded shell, ensuring a long-lasting and reliable design.

Compatible with Mini LED

The Mavic 3 Pro is compatible with Mini LED, providing a more compact and efficient design.

Compatible with flight towers

The Mavic 3 Pro is compatible with flight towers, providing a more secure and stable flight experience.

Compatible with video cameras

The Mavic 3 Pro is compatible with video cameras, providing a more versatile and high-quality imaging experience.

Multi-function antenna mount

The Mavic 3 Pro features a multi-function antenna mount, providing a more flexible and adaptable design.

Quick Release Solution

The Mavic 3 Pro offers a quick release solution, providing a faster and more efficient way to change components.

Detachable damping gimbal,
Convenient for mounting different
cameras with damping.

Adjustable camera
base.

Standard configuration.



Detachable gimbal.


Note: This accessory needs
to be purchased separately.





























Multi-angle display



Dimensions



BEE35 Accessory List

 Carbon Plate x3	 Protective ring x1	 Adjustable GoPro Base x1
 Parallel CNC Head Support L+R x1	 Lens Damping Yellow/Black L+R x1	 Antenna Mount x1
 M2 Nylon Nuts x5	 Button head screws M2.5 (8mm) x3	 Battery Anti-slip Pad x1
 Cable Tie x1	 M5 Nut + M5 Screw Each x1	 Aluminum Standoff M2.5 (20mm) x1
 Aluminum Standoff M3 (15mm) x4	 T-type Antenna Holder L+R x1	 121 GPS Mount x1
 Adapter cables x3	 Self-tapping screws M2.5 (6mm) x3	 Flat head hex socket screws M3 (7mm) x5
 Flat head hex socket screws M3 (9mm) x5	 Flat head hex socket screws M2(12mm)x5	 Flat head hex socket screws M2(18mm)x4
 Button head screws M2 (6mm) x18	 Button head screws M2 (7mm) x4	 Button head screws M3 (8mm) x4
 Button head screws M3 (10mm) x4	 Button head screws M3 (14mm) x7	

BEE35 PRO Accessory List

 Carbon Plate x3	 Protective ring x1	 Adjustable GoPro Base x1
 Parallel CNC Head Support L+R x1	 Lens Damping Yellow/Black L+R x1	 Antenna Mount x1
 CNC Heat Dissipation x1	 O3 VTX Mounting TUP x1	 Battery Anti-slip Pad x1
 Cable Tie x1	 M5 Nut + M5 Screw Each x1	 Aluminum Standoff M2.5 (20mm) x1
 Aluminum Standoff M3 (15mm) x4	 T-type Antenna Holder L+R x1	 121 GPS Mount x1
 Adapter cables x3	 Self-tapping screws M2.5 (6mm) x3	 Flat head hex socket screws M3 (7mm) x5
 Flat head hex socket screws M3 (9mm) x5	 Flat head hex socket screws M2(12mm)x5	 Flat head hex socket screws M2(18mm)x4
 Button head screws M2 (6mm) x18	 Button head screws M2 (7mm) x4	 Button head screws M3 (8mm) x4
 Button head screws M3 (10mm) x4	 Button head screws M3 (14mm) x7	 Button head screws M2.5 (8mm) x3
 Button head screws M2 (15mm) x5	 Button head screws M2 (6mm) x3	 Button head screws M2 (3mm) x3
 M2 Nylon Nuts x5		

Produkt posiada dodatkowe opcje:

Wersja: Bee35 Pro