Dane aktualne na dzień: 08-11-2026 11:58

Link do produktu: https://www.nobshop.pl/rama-speedybee-bee35-35-cala-cinewhoop-p-4361.html



Rama SpeedyBee Bee35 3.5 cala Cinewhoop

Cena brutto	**235,00 zł**
Cena netto	**191,06 zł**
Dostępność	**Dostępny**
Czas wysyłki	**1 - 3 dni**
Producent	**SpeedyBee**

Opis produktu

Rama SpeedyBee Bee35 3.5 cala cinewhoop

Specyfikacja:

Rozstaw silników: 153mm,
Grubość górnej płyty: 3.5mm,
Grubość dolnej płyty: 2mm,
Rozmiar kamery: do 20mm,
Wysokość między górną i dolną płytą: 24mm,
Rozstaw otworów montażowych elektroniki: 20*20/25.5*25.5/30.5*30.5mm,
Rozstaw otworów montażowych nadajnika wideo: 20*20/25.5*25.5mm,
Rozmiar śmigieł: 90mm,
Otwory montażowe silników: 12*12mm,
Waga: ok. 138g.
Rekomendowane silniki: 1806/2004/2006,
Rekomendowane KV: 4S/2500-3500KV, 6S/1800-2300KV,
Rekomendowane akumulatory: 900-1500mAh 4S/6S.

Rama w wersji Pro zawiera aluminiową dolną płytę stanowiącą radiator odprowadzający temperaturę z nadajnika wideo.


BEE35
SpeedyBee


INTRODUCTION TO DESIGN HIGHLIGHTS
SPEEDYBEE BEE35
Specifications
Aerospace-grade Aluminum Front Plate
10 minutes
VS
4 minutes
Custom-made aerospace-grade aluminum components.
Hi-FOV135°
Two battery installation methods.
Super durable injection-molded ring.
Compatible with Meteor LED
Compatible with flight towers.
Compatible with video transmitters.
Multi-function antenna mount.
Quick Release Solution



Multi-angle display













Dimensions



BEE35 Accessory List

 Carbon Plate x3	 Protective ring x1	 Adjustable GoPro Base x1
 Parallel CNC Head Support L+R x1	 Lens Damping Yellow/Black L+R x1	 Antenna Mount x1
 M2 Nylon Nuts x5	 Button head screws M2.5 (8mm) x3	 Battery Anti-slip Pad x1
 Cable Tie x1	 M5 Nut + M5 Screw Each x1	Aluminum Standoff M2.5 (20mm) x1
Aluminum Standoff M3 (15mm) x4	 T-type Antenna Holder L+R x1	 121 GPS Mount x1
 Adapter cables x3	Self-tapping screws M2.5 (6mm) x3	Flat head hex socket screws M3 (7mm) x5
Flat head hex socket screws M3 (9mm) x5	Flat head hex socket screws M2(12mm)x5	Flat head hex socket screws M2(18mm)x4
Button head screws M2 (6mm) x18	Button head screws M2 (7mm) x4	Button head screws M3 (8mm) x4
Button head screws M3 (10mm) x4	Button head screws M3 (14mm) x7	

BEE35 PRO Accessory List

 Carbon Plate x3	 Protective ring x1	 Adjustable GoPro Base x1
 Parallel CNC Head Support L+R x1	 Lens Damping Yellow/Black L+R x1	 Antenna Mount x1
 CNC Heat Dissipation x1	 O3 VTX Mounting TUP x1	 Battery Anti-slip Pad x1
 Cable Tie x1	 M5 Nut + M5 Screw Each x1	Aluminum Standoff M2.5 (20mm) x1
Aluminum Standoff M3 (15mm) x4	 T-type Antenna Holder L+R x1	121 GPS Mount x1
Adapter cables x3	Self-tapping screws M2.5 (6mm) x3	Flat head hex socket screws M3 (7mm) x5
Flat head hex socket screws M3 (9mm) x5	Flat head hex socket screws M2(12mm)x5	Flat head hex socket screws M2(18mm)x4
Button head screws M2 (6mm) x18	Button head screws M2 (7mm) x4	Button head screws M3 (8mm) x4
Button head screws M3 (10mm) x4	Button head screws M3 (14mm) x7	Button head screws M2.5 (8mm) x3
Button head screws M2 (15mm) x5	Button head screws M2 (6mm) x3	Button head screws M2 (3mm) x3
M2 Nylon Nuts x5		

Produkt posiada dodatkowe opcje:

Wersja: Bee35 Pro