

Link do produktu: <https://www.nobshop.pl/speedybee-adapter-3-ladowarka-adapter-usb-bt-lipo-checker-p-4362.html>



## SpeedyBee Adapter 3 - ładowarka, adapter USB - BT, LiPo checker

Cena brutto	<b>169,99 zł</b>
Cena netto	<b>138,20 zł</b>
Dostępność	<b>Dostępny</b>
Czas wysyłki	<b>1 - 3 dni</b>
Producent	<b>SpeedyBee</b>

### Opis produktu

#### SpeedyBee Adapter 3

##### Specyfikacja:

Zakres napięcia wejściowego: 1S-6S (Powyżej 3.8V dla 1S),

Złącze wejścia zasilania: XT60 męskie, PH2.0 męskie,

Wymagana wersja systemu smartfona: Android 7.0+ | iOS 12.0+,

Obsługiwana wersja aplikacji SpeedyBee: V1.6.1 + for iOS | V1.5.6+ for Android,

Obsługiwane oprogramowania:

- Betaflight od 3.2.0,
- iNAV od 2.0.0,
- EmuFlight od 0.1.0,
- Ardupilot,

Maksymalny prąd wyjściowy dla kontrolerów lotu: 700mA @5V,

Złącze szybkiego ładowania: USB-A,

Minimalne napięcie wejściowe wymagane do ładowania: 7.4V(2S LiPo),

Protokoły szybkiego ładowania:

- QC3.0/QC2.0
- AFC
- FCP
- SCP/High SCP
- PE2.0/PE1.1
- SFCP

Maksymalny prąd szybkiego ładowania: 3.5A,

Maksymalna moc szybkiego ładowania: 30W,

Długość przewodu: 12.4cm.



SPEEDYBEE  
**ADAPTER 3**

NO LAPTOP, NO POWER BANK, AND NO LIPO  
CHECKER IN YOUR FPV BAG.

Wireless Firmware  
Flasher/Configurator

Wireless Blackbox  
analyzer

Wireless ESC flasher

30W Fast USB  
charger


1S -6S LiPo Checker

Compatible with  
iOS & Android




# Turn your smartphone into your mobile FPV companion

Connect to the SpeedyBee mobile app, and configure your flight controller anytime, anywhere. Or flash the latest version of Betaflight/Emuflight/INAV in just 2 minutes before your flight session. The choice is yours.







## Analyzing Blackbox data has never been easier

No laptop, no separate app, no hassle. Connect your quad to the SpeedyBee mobile app and analyze your Blackbox data\* in just 1.5 minutes after a flight. Get the most out of your practice sessions now.

\*Currently supports Betaflight and Emuflight only





## Your LiPo batteries = Powerful 30W power banks

Connect SpeedyBee Adapter 3 to a LiPo battery and charge your mobile phone\* and tablets when you need them the most. Supports mainstream QC3.0/AFC/Apple 2.4A (iPhone 6s and above) and other fast charging protocols with charging power up to 30W. Complete with over-current protection, short-circuit protection and over-temperature protection to protect your gadgets from unwanted accidents.

Phone Model	Battery Capacity	Battery level after half an hour of charging
Mi 11 Ultra	5000mAh	52%
Samsung S10	3400mAh	49%
HUAWEI P40 Pro	4400mAh	45%
iPhone 11	3110mAh	22%

\*Charging function requires 2S LiPo and above.



## Forgot your LiPo checker? Worry not

Connect your 1S - 6S LiPo and the display will immediately show your battery voltage and the remaining power with a specific colour code\*. The built-in beeper will alert you if the remaining power is less than 40% to help extend your battery lifespan.

\*GREEN(>80%), WHITE(40-80%) and RED(<40%).





## MicroUSB or Type C? Why not both?

SpeedyBee Adapter 3 comes with a dual-head data cable, with MicroUSB 2.0 and USB 3.0 Type C connector on each end. No more worries about connector compatibility regardless of what flight controller you are using in your build.



## WiFi + Bluetooth = the best of both worlds

Use Bluetooth for quick access to your firmware configurator, or switch to Wi-Fi to flash firmware or download Blackbox data at a higher speed.





## And all you need is just one LiPo

Access the configurator function using any LiPo batteries available to you. Supports all 1S - 6S LiPo with PH2.0 or XT60 connectors. Plug in that beefy 6S 1500mah, or that tiny 1S Whoop battery (minimum voltage 3.8V), to the SpeedyBee Adapter 3 you are ready to access the configurator.



**Note:** When using a BT2.0 battery to power the Adapter 3 via the PH2.0 port, please ensure the polarity is correct (Left for - and right for +, if reverse the polarity, Adapter 3 will be burned.)



