Dane aktualne na dzień: 07-11-2026 14:57

Link do produktu: https://www.nobshop.pl/walksnail-avatar-hd-mini-1s-kit-p-3498.html


Walksnail AVATAR HD Mini 1S Kit




Cena brutto	**499,99 zł**
Cena netto	**406,50 zł**
Cena poprzednia	~~**519,99 zł**~~
Dostępność	**Dostępny**
Czas wysyłki	**1 - 3 dni**
Kod producenta	**WN04-1004S**
Producent	**Walksnail**


Opis produktu


Walksnail AVATAR HD Mini 1S Kit


AVATAR MINI 1S KIT
1080P/60fps
22ms low latency
3.1V–5V
Power 350mW
Built–in 8G storage
6.8g light weight


1080P/60FPS, 720P/120FPS
The Avatar HD system uses H.265 code, an industry-leading technology,
to provide 1080p FPV image quality with ultra-low latency.


6.8g light weight board
The Avatar mini 1S VTX weights only 6.8g and fits perfectly with the 75X quad.
75mm


22ms Low Latency
Supports both high frame rate and standard frame rate,
in high frame rate, it has an average latency of 22ms.


8G Built-in Storage
The Avatar mini 1s vtx comes with 8g built–in storage, it can record 1080p
with 60fps or 720pwith 100fps/60fps HD flight videos without interference.
DVR
Built–in storage

Camera

Model	Avatar nano
Image Sensor	1/2.7"Inch
Resolution	1080P/60fps, 720P/120fps, 720P/60fps
Ratio	16/9 4/3
Lens	2.1mm
FOV	170°
Aperture	F2.0
Shutter	Rolling shutter
Min.Illumination	0.001Lux
Weight	3.5g
Dimensions	14*14*17mm
Coaxial Cable	45mm / 90mm

VTX

Model	Avatar mini 1s module
Communication Frequency	5.725–5.850 GHz
Transmitter Power (EIRP)	FCC: <25.5dBm; CE: <14dBm; SRRC: <20dBm; MIC: <25dBm
I/O Interface	JST1.0*6(Power in) JST1.0*4(USB)
Mounting Holes	25.5*25.5 mm
Dimensions	33*33*6.5 mm
Storage	8 G
Recording	1080p/720p
Weight	6.8 g
Operating Temperature	–20–40℃
Channels	8
Wide Power Input	3.1V–5V
Supported FC System	Betaflight
OSD	Canvas mode
Bitrate	25mbps / 50mbps
Latency	Average delay 22ms
Antenna	IPEX