

Rama iFlight Nazgul Evoque F5D V2 Frame pod DJI O3+



Cena brutto	499,99 zł
Cena netto	406,50 zł
Dostępność	Aktualnie niedostępny
Czas wysyłki	1 - 3 dni
Kod producenta	FQ13587
Producent	iFlight

Opis produktu

Rama iFlight Nazgul Evoque F5D V2 Frame pod DJI O3+

Rama do drona freestyle do śmigieł 5" DeadCat dedykowana do DJI O3 Air Unit

Materiał: Włókno węglowe 3K

Średnica koła osadzenia silników: 223mm

Grubość Ramion: 6mm

Grubość góra : 3mm

Śmigła: max 5"

Zawartość: Rama, słupki, śruby, opaska rzepowa, dystanse do mocowania kontrolera

Description

The old days are over, getting your electronics full of dirt and wet grass every time you crash. Our latest frame reduces contamination that could build up on your flight controller or ESCs, preventing failure or short circuits. Strategic airflow to keep your components cool and clean without taking any shortcuts in weight or performance. Illuminated side panels and 360-degree TPU protective parts.

Highlights

V1 to V2 was upgraded for the DJI O3 HD Air Unit Digital Transmission

Specially Designed Heatsink for DJI O3 Air Unit

New Camera Mount for a wider camera FOV with TPU damping inserts

New Side Panels to perfectly fit the O3 Air Unit in the back

New Dual 5.8G VTX Antenna TPU mount

Latest Nazgul Frame Upgrades for Maximum Protection

Optional Parts to select (not included in frame kit):

New Anti Spark Filter to prevent rapid voltage and current spikes plugging in a battery

Single DJI VTX Antenna TPU to install the original DJI O3 set included antenna.

Upgrading your Nazgul F5 V1?

If you want to upgrade your Nazgul Evoque F5 V1 with the DJI O3 Air Unit read this:

- The FC (Flight Controller) to O3 VTX connector is different than the older Caddx Vista/Polar plug. You'll need to DIY.
- The RX (Receiver) position changed. V1 antenna length is 75mm, V2 is 220mm. You'll need to DIY.
- The XT60 plug was changed, you'll need to de-solder the V1 plug and install the V2 plug. Included in the frame kit.
- If you're going from F5X V1 to F5X V2 all motor wires will have the same length.
- If you're going from F5X V1 to F5D V2 the back motor wires need to be extended, since you change frame geometry.
- The Antenna TPU in the back comes in 2 Versions; One for the original single DJI VTX antenna, or one for the dual antenna setup. The kit includes a dual antenna TPU. 2x 5.8G LHCP antennas need to be installed.
- The Nazgul Evoque F5 V2 BNF comes with a new Anti Spark filter pre-installed. Please select the option to purchase separately; it's not included in the frame kit.

Changelog

December 13, 2022: New silicone inserts have been designed to replace the TPU ones which are holding the O3 cam in the side panels.

Specifications

Product Name: Evoque F5 V2 Frame Kit

Frame wheelbase: 225mm (Squashed X) / 223 mm (DeadCat)

Frame Dimension: L258*W199*H25 mm (Squashed X) / L190*W136*H36 mm (DeadCat)

Frame Body Dimension: 36mm

Arm Thickness: 6mm

Bottom Plate Thickness: 3mm

Top Plate Thickness: 2mm

Upper Plate Thickness: 3mm

Camera Plate Thickness: 3mm

Motor Mounting: 16x16mm

VTX Mounting: 25.5*25.5/Φ1.6mm

Weight: 150grams (Included no TPU Parts)

Packing List

1 x EVOQUE F5 V2 Frame Kit

1x O3 Air Unit Heatsink

2x O3 IPEX to RP-SMA Antenna Pigtailed

1 x O3 Dual Antenna TPU

1 x GoPro TPU Base Mount

1 x Screw Bag

4 x TPU Armgard

1 x Front Bumper TPU

1 x Rear Bumper TPU

2 x Anti-slip Battery Pad

2 x Battery Strap (20*250mm)